

Dr. Jelena Vančetović, geneticist and maize breeder, scientific advisor

8. Assenov, B., V. Andđelković, D. Ignjatović-Micić, **J. Vančetović**, A. Nikolić, N.K. Christov, S. Tsonev, N. Abu-Mhadi, D. Vassilev, Y. Muhevski, M. Ilchovska and E. Todorovska (2013): Identification of SNP mutations in *MYBE-1* gene involved in drought stress tolerance in maize. Bulg. J. Agric. Sci. **19** (2): 181-185.
9. Babić, V., **J. Vančetović**, S. Prodanović, V. Andđelković, M. Babić and N. Kravić (2012): The identification of drought tolerant maize accessions by the two-step cluster analysis. Rom. Agr. Res. **29**: 53-61.
10. Božinović, S., **J. Vančetović**, M. Babić, M. Filipović and N. Delić (2010): The plus-hybrid effect on the grain yield of two ZP maize hybrids. Genetika **42** (3): 475-484.
11. **Vančetović**, J., S. Božinović, D. Ignjatovic-Micic and K. Markovic (2012): Plus-hybrid System in Maize (*Zea mays* L.) Production: A New Approach Combining the Effect of Cytoplasmic Male Sterility and Xenia for Grain Yield Increase and Nutritional Improvement, pp. 15-26. In: Jose C. Jimenes-Lopez, ed., Maize Cultivation, Uses and Health Benefits, ed. Nova Science Publishers Inc., Granada, Spain.
12. **Vančetović**, J., D. Ignjatović-Micić, S. Božinović, N. Delić and Zoran Čamđija (2012): Combined S1-TC-RSS with consideration of cms and dihaploids in maize. Genetika **44** (1): 69-79.
13. **Vančetović**, J., Lj. Jankuloski, S. Božinović and D. Dodig (2009): The effects of cytoplasmic male sterility and xenia on the chemical composition of maize grain. Genetika **41** (1): 95-106.
14. **Vančetović**, J., S. Mladenović Drinić, M. Babić, D. Ignjatović-Micić and V. Andđelković (2010): Maize genebank collections as potentially valuable breeding material. Genetika **42** (1): 9 - 21.
15. **Vančetović**, J., M. Simić and S. Božinović (2011): ZP Ultra hybrids - a new technology of weed suppression in maize crops. Herbologia **12** (2): 49-54.
16. **Vančetović**, J., M. Vidaković, M. Babić, D. Branković Radojičić, S. Božinović and M. Stevanović (2009): The effect of cycloxydim tolerant maize (CTM) alleles on grain yield and agronomic traits of maize single cross hybrid. Maydica **54** (2-3): 91-95.
17. **Vančetović**, J., M. Vidaković, D. Ignjatović-Micić, A. Nikolić, K. Marković and V. Andđelković (2010): The structure of sterile cytoplasm types within a maize genebank collection. Russ. J. Genet. **46** (7): 836-840.